ELSEVIER

Biomembranes

Vol. 1240, 1995

BBA Biochimica et Biophysica Acta

Author Index

Asami, M., Sekihara, T., Hanaoka, T., Goya, T., Matsui, H. and Hayashi, Y.
Quantification of the Na^+/K^+-pump in solubilized tissue by the ouabain binding method coupled with high-performance gel chromatography (1240) 55

Barber, K.R., see Rigby, A.C. (1240) 75
Barenholz, Y., see Clerc, S. (1240) 257
Barenholz, Y., see Zuidam, N.J. (1240) 101
Bergès, J., see Caillet, J. (1240) 179
Biber, T.U.L., see Lyall, V. (1240) 65
Bittman, R., see Mattjus, P. (1240) 237
Bolard, J., see Cybulska, B. (1240) 167
Bondar, O.P. and Rowe, E.S.
Differential scanning calorimetric study of the effect of vitamin D_3 on the thermotropic phase behavior of lipids model systems (1240) 125
Borowski, E., see Cybulska, B. (1240) 167
Burk, S.E., Menon, A.G. and Shull, G.E.
Analysis of the 5′ end of the rat plasma membrane Ca^{2+}-ATPase isoform 3 gene and identification of extensive trinucleotide repeat sequences in the 5′ untranslated region (1240) 119

Caillet, J., Bergès, J. and Langlet, J.
Theoretical study of the self-association of amphotericin B (1240) 179
Carrasquer, G., Schilb, T.P., Geng, Z., Rehm, W.S. and Schwartz, M.
Effect of current direction and K^+ on polarization of the frog gastric mucosa proton pump (1240) 41
Cassinadri, D., see Fan, Q. (1240) 83
Chupin, V., see Keukens, E.A.J. (1240) 216
Clerc, S. and Barenholz, Y.
Loading of amphipathic weak acids into liposomes in response to transmembrane calcium acetate gradients (1240) 257
Crommelin, D.J.A., see Zuidam, N.J. (1240) 101
Cybulska, B., Bolard, J., Seksek, O., Czerwinski, A. and Borowski, E.
Identification of the structural elements of amphotericin B and other polyene macrolide antibiotics of the heptaene group influencing the ionic selectivity of the permeability pathways formed in the red cell membrane (1240) 167
Czerwinski, A., see Cybulska, B. (1240) 167

De Kruijff, B., see Keukens, E.A.J. (1240) 216
De Paula, E. and Schreier, S.
Use of a novel method for determination of partition coefficients to compare the effect of local anesthetics on membrane structure (1240) 25
De Vrije, T., see Keukens, E.A.J. (1240) 216
De Waard, P., see Keukens, E.A.J. (1240) 216

Engberts, J.B.F.N., see Van der Woude, I. (1240) 34

Fan, Q., Relini, A., Cassinadri, D., Gambacorta, A. and Gliozzi, A.
Stability against temperature and external agents of vesicles composed of archaeal bolaform lipids and egg PC (1240) 83
Fischbarg, J., see Kalko, S.G. (1240) 159
Fleurimont, J., see Morré, D.J. (1240) 5

Galutzov, B., see Ganeva, V. (1240) 229
Gambacorta, A., see Fan, Q. (1240) 83
Ganapathy, V., see Ramamoorthy, S. (1240) 1
Ganeva, V., Galutzov, B. and Teissié, J.
Electric field mediated loading of macromolecules in intact yeast cells is critically controlled at the wall level (1240) 229
Geng, Z., see Carrasquer, G. (1240) 41
Gliozzi, A., see Fan, Q. (1240) 83
Gouw, H.K.M.E., see Zuidam, N.J. (1240) 101
Goya, T., see Asami, M. (1240) 55
Grant, C.W.M., see Rigby, A.C. (1240) 75
Grigera, J.R., see Kalko, S.G. (1240) 159
Gruber, H.J., Wilmsen, H.U., Schurga, A., Pilger, A. and Schindler, H.
Measurement of intravesicular volumes by salt entrapment (1240) 266

Haas, N.S. and Shipley, G.G.
Structure and properties of *N*-palmitoleoylgalactosylsphingosine (cerebroside) (1240) 133
Haimovich, B. and Tanaka, J.C.
Magainin-induced cytotoxicity in eukaryotic cells: kinetics, dose–response and channel characteristics (1240) 149
Hanaoka, T., see Asami, M. (1240) 55
Hayashi, Y., see Asami, M. (1240) 55
Hernández, J.A., see Kalko, S.G. (1240) 159
Hilgemann, D.W., see Kabakov, A.Y. (1240) 142
Hoekstra, D., see Van der Woude, I. (1240) 34
Hu, Q., see Liu, D. (1240) 277

Jongen, W.M.F., see Keukens, E.A.J. (1240) 216
Jørgensen, K.
Calorimetric detection of a sub-main transition in long-chain phosphatidylcholine lipid bilayers (1240) 111

Kabakov, A.Y. and Hilgemann, D.W.
Modulation of Na^+,Ca^{2+} exchange current by EGTA calcium buffering in giant cardiac membrane patches (1240) 142
Kalko, S.G., Hernández, J.A., Grigera, J.R. and Fischbarg, J.
Osmotic permeability in a molecular dynamics simulation of water transport through a single-occupancy pore (1240) 159
Keukens, E.A.J., De Vrije, T., Van den Boom, C., De Waard, P., Plasman, H.H., Thiel, F., Chupin, V., Jongen, W.M.F. and De Kruijff, B.
Molecular basis of glycoalkaloid induced membrane disruption (1240) 216
Kusaka, M. and Sperelakis, N.
Inhibition of L-type calcium current by genistein, a tyrosine kinase inhibitor, in pregnant rat myometrial cells (1240) 196

Langlet, J., see Caillet, J. (1240) 179
Leibach, F.H., see Ramamoorthy, S. (1240) 1
Liu, D., Hu, Q. and Song, Y.K.
Liposome clearance from blood: different animal species have different mechanisms (1240) 277
Liu, W., see Ramamoorthy, S. (1240) 1
Llama, M.J., see Ochoa de Alda, J.A.G. (1240) 209

Lyall, V. and Biber, T.U.L.
pH modulates cAMP-induced increase in Na^+ transport across frog skin epithelium (1240) 65

Ma, Y.-Y., see Ramamoorthy, S. (1240) 1
Martin, I. and Ruysschaert, J.-M.
Lysophosphatidylcholine inhibits vesicles fusion induced by the NH_2-terminal extremity of SIV/HIV fusogenic proteins (1240) 95
Matsui, H., see Asami, M. (1240) 55
Mattjus, P., Bittman, R., Vilchèze, C. and Slotte, J.P.
Lateral domain formation in cholesterol/phospholipid monolayers as affected by the sterol side chain conformation (1240) 237
Menon, A.G., see Burk, S.E. (1240) 119
Momo, F., Wisniewska, A. and Stevanato, R.
EPR study of spermine interaction with multilamellar phosphatidylcholine liposomes (1240) 89
Morré, D.J., Fleurimont, J. and Sweeting, M.
Chlorsulfuron blocks 2,4-D-induced cell enlargement and NADH oxidase in excised sections of soybean hypocotyls (1240) 5
Morré, D.J., Wu, L.-Y. and Morré, D.M.
The antitumor sulfonylurea *N*-(4-methylphenylsulfonyl)-*N'*-(4-chlorophenyl)urea (LY181984) inhibits NADH oxidase activity of HeLa plasma membranes (1240) 11
Morré, D.J.
NADH oxidase activity of HeLa plasma membranes inhibited by the antitumor sulfonylurea *N*-(4-methylphenylsulfonyl)-*N'*-(4-chlorophenyl)urea (LY181984) at an external site (1240) 201
Morré, D.M., see Morré, D.J. (1240) 11
Muramatsu, T., see Otomo, J. (1240) 248

Ochoa de Alda, J.A.G., Llama, M.J. and Serra, J.L.
Effective detergent/chlorophyll ratio and detergent concentration in the aqueous phase during solubilization of *Phormidium laminosum* membranes (1240) 209
Otomo, J. and Muramatsu, T.
Over-expression of a new photo-active halorhodopsin in *Halobacterium salinarium* (1240) 248

Pilger, A., see Gruber, H.J. (1240) 266
Plasman, H.H., see Keukens, E.A.J. (1240) 216

Ramamoorthy, S., Liu, W., Ma, Y.-Y., Yang-Feng, T.L., Ganapathy, V. and Leibach, F.H.
Proton/peptide cotransporter (PEPT 2) from human kidney: Functional characterization and chromosomal localization (1240) 1
Rehm, W.S., see Carrasquer, G. (1240) 41
Relini, A., see Fan, Q. (1240) 83
Rigby, A.C., Barber, K.R. and Grant, C.W.M.
^{2}H-NMR study of two probe-labelled glycosphingolipid-derived signalling modulators in bilayer membranes (1240) 75
Romero, P.J. and Salas, V.
Alteration by EGTA of the human red cell Ca^{2+}-ATPase (1240) 115
Rowe, E.S., see Bondar, O.P. (1240) 125
Ruiters, M.H.J., see Van der Woude, I. (1240) 34
Ruysschaert, J.-M., see Martin, I. (1240) 95

Salas, V., see Romero, P.J. (1240) 115
Schilb, T.P., see Carrasquer, G. (1240) 41
Schindler, H., see Gruber, H.J. (1240) 266
Schreier, S., see De Paula, E. (1240) 25
Schurga, A., see Gruber, H.J. (1240) 266
Schwartz, M., see Carrasquer, G. (1240) 41
Sekihara, T., see Asami, M. (1240) 55
Seksek, O., see Cybulska, B. (1240) 167
Serra, J.L., see Ochoa de Alda, J.A.G. (1240) 209
Shiga, N. and Wangemann, P.
Ion selectivity of volume regulatory mechanisms present during a hypoosmotic challenge in vestibular dark cells (1240) 48
Shipley, G.G., see Haas, N.S. (1240) 133
Shull, G.E., see Burk, S.E. (1240) 119
Slotte, J.P., see Mattjus, P. (1240) 237
Song, Y.K., see Liu, D. (1240) 277
Sperelakis, N., see Kusaka, M. (1240) 196
Stevanato, R., see Momo, F. (1240) 89
Sweeting, M., see Morré, D.J. (1240) 5

Tanaka, J.C., see Haimovich, B. (1240) 149
Teissié, J., see Ganeva, V. (1240) 229
Ter Beest, M.B.A., see Van der Woude, I. (1240) 34
Thiel, F., see Keukens, E.A.J. (1240) 216

Van den Boom, C., see Keukens, E.A.J. (1240) 216
Van der Woude, I., Visser, H.W., Ter Beest, M.B.A., Wagenaar, A., Ruiters, M.H.J., Engberts, J.B.F.N. and Hoekstra, D.
Parameters influencing the introduction of plasmid DNA into cells by the use of synthetic amphiphiles as a carrier system (1240) 34
Vilchèze, C., see Mattjus, P. (1240) 237
Visser, H.W., see Van der Woude, I. (1240) 34

Wagenaar, A., see Van der Woude, I. (1240) 34
Wangemann, P., see Shiga, N. (1240) 48
Wilmsen, H.U., see Gruber, H.J. (1240) 266
Wisniewska, A., see Momo, F. (1240) 89
Wright, S.H. and Wunz, T.M.
Paraquat^{2+}/H^+ exchange in isolated renal brush-border membrane vesicles (1240) 18
Wu, L.-Y., see Morré, D.J. (1240) 11
Wunz, T.M., see Wright, S.H. (1240) 18

Yang-Feng, T.L., see Ramamoorthy, S. (1240) 1

Zuidam, N.J., Gouw, H.K.M.E., Barenholz, Y. and Crommelin, D.J.A.
Physical (in)stability of liposomes upon chemical hydrolysis: the role of lysophospholipids and fatty acids (1240) 101